



## References



- Axelsson, A., & Barrenas, M. -L. (1992). Tinnitus in noise-induced hearing loss. In A. L. Dancer, D. Henderson, R. J. Salvi & R. P. Hamnerik (Eds.), *Noise-induced hearing loss* (pp. 269–276). St. Louis, MO: Mosby-Year Book.
- Axelsson, A., & Ringdahl, A. (1989). Tinnitus: A study of its prevalence and characteristics. *British Journal of Audiology*, 23, 53–62.
- Baguley, D. M. (2002). Mechanisms of tinnitus. *British Medical Bulletin*, 63, 195–212.
- Baker, D. W., Parker, R. M., Williams, M. V., Clark, W. S., & Nurss, J. (1997). The relationship of patient reading ability to self-reported health and use of health services. *American Journal of Public Health*, 87(6), 1027–1030.
- Bandura, A. (1977). Self-efficacy: Toward a unifying theory of behavioral change. *Psychological Review*, 84(2), 191–215.
- Bartnik, G., Fabijanska, A., & Rogowski, M. (2001). Effects of tinnitus retraining therapy (TRT) for patients with tinnitus and subjective hearing loss versus tinnitus only. *Scandinavian Audiology Supplement*, 52, 206–208.
- Battaglia, A., Burchette, R., & Cueva, R. (2008). Combination therapy (intratympanic dexamethasone + high-dose prednisone taper) for the treatment of idiopathic sudden sensorineural hearing loss. *Otolaryngology and Neurotology*, 29(4), 453–460.
- Bauer, C. A. (2004). Mechanisms of tinnitus generation. *Current Opinions in Otolaryngology Head and Neck Surgery*, 12(5), 413–417.
- Bauman, N. G. (2004). Musical ear syndrome. *Hearing Health*, 20(4), 1–3.
- Beck, J. S. (1995). *Cognitive therapy: Basics and beyond*. New York, NY: Guilford.
- Berry, J. A., Gold, S. L., Frederick, E. A., Gray, W. C., & Staeker, H. (2002). Patient-based outcomes in patients with primary tinnitus undergoing tinnitus retraining therapy. *Archives of Otolaryngology, Head and Neck Surgery*, 128(10), 1153–1157.
- Blyth, F. M., March, L. M., Nicholas, M. K., & Cousins, M. J. (2005). Self-management of chronic pain: A population-based study. *Pain*, 113(3), 285–292.
- Brown, G. K., Henriques, G. R., Sosdjan, D., & Beck, A. T. (2004). Suicide intent and accurate expectations of lethality: Predictors of medical lethality of suicide attempts. *Journal of Consulting Clinical Psychology*, 72(6), 1170–1174.
- Brown, S. C. (1990). *Older Americans and tinnitus: A demographic study and chartbook*. GRI Monograph Series A, No. 2. Washington, DC: Gallaudet Research Institute, Gallaudet University.

- Brozoski, T. J., Bauer, C. A., & Caspary, D. M. (2002). Elevated fusiform cell activity in the dorsal cochlear nucleus of chinchillas with psychophysical evidence of tinnitus. *Journal of Neuroscience*, 22(6), 2383–2390.
- Cacace, A. T. (2003). Expanding the biological basis of tinnitus: Crossmodal origins and the role of neuroplasticity. *Hearing Research*, 175(1–2), 112–132.
- Choong, C., Hunter, M. D., & Woodruff, P. W. (2007). Auditory hallucinations in those populations that do not suffer from schizophrenia. *Current Psychiatry Reports*, 9(3), 206–212.
- Coles, R. R. A. (1984). Epidemiology of tinnitus: (2) demographic and clinical features. *Journal of Laryngology and Otology, Supplementum* 9, 195–202.
- Coles, R. R. A. (1995). Classification of causes, mechanisms of patient disturbance, and associated counseling. In J. A. Vernon & A. R. Moller (Eds.), *Mechanisms of tinnitus* (pp. 11–19). Boston, MA: Allyn & Bacon.
- Coles, R. R. A. (1996). Tinnitus: Epidemiology, aetiology and classification. In G. Reich & J. A. Vernon (Eds.), *Proceedings of the Fifth International Tinnitus Seminar 1995* (pp. 25–29). Portland, OR: American Tinnitus Association.
- Coles, R. R. A. (2000). Medicolegal issues. In R. S. Tyler (Ed.), *Tinnitus handbook* (pp. 399–417). San Diego, CA: Singular Publishing Group.
- Dauman, R., & Tyler, R. S. (1992). Some considerations on the classification of tinnitus. In J.-M. Aran & R. Dauman (Eds.), *Proceedings of the Fourth International Tinnitus Seminar, Bordeaux, France* (pp. 225–229). Amsterdam/New York, NY: Kugler.
- Davis, A., & Refaie, A. E. (2000). Epidemiology of tinnitus. In R. Tyler (Ed.), *Tinnitus handbook* (pp. 1–23). San Diego, CA: Singular Publishing Group.
- Davis, A. C. (1995). *Hearing in adults*. London, England: Whurr.
- Davis, P. B. (2006). Music and the acoustic desensitization protocol for tinnitus. In R. S. Tyler (Ed.), *Tinnitus treatment: Clinical protocols* (pp. 146–160). New York, NY: Thieme Medical.
- Davis, P. B., Paki, B., & Hanley, P. J. (2007). Neuromonics tinnitus treatment: Third clinical trial. *Ear and Hearing*, 28(2), 242–259.
- Del Bo, L., & Ambrosetti, U. (2007). Hearing aids for the treatment of tinnitus. *Progress in Brain Research*, 166, 341–345.
- DiSorga, R. M. (2001). Adverse drug reactions and audiology practice. *Audiology Today*, 13(Special Issue: Drug Reactions), 2–7.
- Doak, C. C., Doak, L. G., & Root, J. H. (1996). *Teaching patients with low literacy skills*. Philadelphia, PA: J.B. Lippincott.
- Dobie, R. A. (2003). Depression and tinnitus. *Otolaryngologic Clinics of North America*, 36(2), 383–388.
- Dobie, R. A. (2004a). Clinical trials and drug therapy for tinnitus. In J. B. Snow (Ed.), *Tinnitus: Theory and management* (pp. 266–277). Lewiston, NY: BC Decker.
- Dobie, R. A. (2004b). Overview: Suffering from tinnitus. In J. B. Snow (Ed.), *Tinnitus: Theory and management* (pp. 1–7). Lewiston, NY: BC Decker.
- Douek, E., & Reid, J. (1968). The diagnostic value of tinnitus pitch. *Journal of Laryngology and Otology*, 82, 1039–1042.
- du Feu, M., & McKenna, P. J. (1999). Prelingually profoundly deaf schizophrenic patients who hear voices: A phenomenological analysis. *Acta Psychiatrica Scandinavica*, 99(6), 453–459.
- Eggermont, J. J. (1990). On the pathophysiology of tinnitus; a review and a peripheral model. *Hearing Research*, 48, 111–124.
- Eggermont, J. J. (2000). Physiological mechanisms and neural models. In R. Tyler (Ed.), *Tinnitus handbook* (pp. 85–122). San Diego, CA: Singular Publishing Group.
- Eggermont, J. J. (2004). The auditory cortex and tinnitus. In J. B. Snow (Ed.), *Tinnitus: Theory and management* (pp. 171–188). Lewiston, NY: BC Decker.
- Eggermont, J. J., & Roberts, L. E. (2004). The neuroscience of tinnitus. *Trends in Neuroscience*, 27(11), 676–682.
- Erlandsson, S. (2000). Psychological profiles of tinnitus patients. In R. S. Tyler (Ed.), *Tinnitus handbook* (pp. 25–57). San Diego, CA: Singular Publishing Group.
- Erlandsson, S. I., Hallberg, L. R. M., & Axelsson, A. (1992). Psychological and audiological correlates of perceived tinnitus severity. *Audiology*, 31, 168–179.
- Fausti, S. A., Henry, J. A., & Frey, R. H. (1995). Ototoxicity. In J. L. Northern (Ed.), *Hearing disorders* (pp. 149–164). Boston, MA: Allyn & Bacon.
- Fisch, U. (1970). Transtemporal surgery of the internal auditory canal: Report of 92 cases, technique, indications and results. *Advances in Oto-Rhino-Laryngology*, 17, 203–240.
- Folmer, R. L., & Carroll, J. R. (2006). Long-term effectiveness of ear-level devices for tinnitus. *Otolaryngology, Head and Neck Surgery*, 134(1), 132–137.
- Folmer, R. L., & Griest, S. E. (2000). Tinnitus and insomnia. *American Journal of Otolaryngology*, 21(5), 287–293.

- Formby, C., & Gold, S. L. (2002). Modification of loudness discomfort level: Evidence for adaptive chronic auditory gain and its clinical relevance. *Seminars in Hearing*, 23, 21–35.
- Formby, C., Sherlock, L. P., & Gold, S. L. (2002). Adaptive recalibration of chronic auditory gain: interim findings. In R. Patuzzi (Ed.), *VIIth International Tinnitus Seminar Proceedings* (pp. 165–169). Perth, Australia: Physiology Dept., Univ. of Western Australia.
- Fulton, R. T., & Lloyd, L. L. (1975). *Auditory assessment of the difficult-to-test*. Baltimore, MD: Williams & Williams.
- Gazmararian, J. A., Baker, D. W., Williams, M. V., Parker, R. M., Scott, T. L., Green, D. C., . . . Koplan, J. P. (1999). Health literacy among Medicare enrollees in a managed care organization. *Journal of the American Medical Association*, 281(6), 545–551.
- Gold, S. L., Frederick, E. A., & Formby, C. (1999). Shifts in dynamic range for hyperacusis patients receiving tinnitus retraining therapy (TRT). In J. Hazell (Ed.), *Proceedings of the Sixth International Tinnitus Seminar 1999* (pp. 297–301). London, England: The Tinnitus and Hyperacusis Centre.
- Goodhill, V., & Harris, I. (1979). Sudden hearing loss syndrome. In V. Goodhill (Ed.), *Ear diseases, deafness and dizziness*. New York, NY: Harper and Row.
- Green, D. S. (1972). Pure tone air conduction thresholds. In J. Katz (Ed.), *Handbook of clinical audiology* (1st ed., pp. 67–86). Baltimore, MD: Williams & Wilkins.
- Halford, J. B. S., & Anderson, S. D. (1991). Anxiety and depression in tinnitus sufferers. *Journal of Psychosomatic Research*, 35, 383–390.
- Hallam, R., Rachman, S., & Hinchcliffe, R. (1984). Psychological aspects of tinnitus. In S. Rachman (Ed.), *Contributions to medical psychology* (Vol. 3, pp. 31–53). Oxford, NY: Pergamon Press.
- Hamid, M., & Trune, D. (2008). Issues, indications, and controversies regarding intratympanic steroid perfusion. *Current Opinion in Otolaryngology and Head Neck Surgery*, 16(5), 434–440.
- Handscomb, L. (2006). Analysis of responses to individual items on the tinnitus handicap inventory according to severity of tinnitus handicap. *American Journal of Audiology*, 15(2), 102–107.
- Harrop-Griffiths, J., Katon, W., Dobie, R., Sakai, C., & Russo, J. (1987). Chronic tinnitus: association with psychiatric diagnoses. *Journal of Psychosomatic Research*, 31(5), 613–621.
- Hawton, K. (2001). Studying survivors of nearly lethal suicide attempts: An important strategy in suicide research. *Suicide and Life-Threatening Behavior*, 32(Suppl. 1), 76–84.
- Hazell, J. (1998a). Incidence, classification, and models of tinnitus. In H. Ludman & T. Wright (Eds.), *Diseases of the ear* (pp. 185–195). London, England: Arnold.
- Hazell, J. (1998b). Management of tinnitus. In H. Ludman & T. Wright (Eds.), *Diseases of the ear* (pp. 202–215). London, England: Arnold.
- Hazell, J. (2003, 5 Jan). Things that go bump in the night. *International Tinnitus and Hyperacusis Society Newsletter*.
- Hazell, J. W., Wood, S. M., Cooper, H. R., Stephens, S. D., Corcoran, A. L., Coles, R. R., . . . Sheldrake, J. B. (1985). A clinical study of tinnitus maskers. *British Journal of Audiology*, 19, 65–146.
- Hazell, J. W. P. (1990). Tinnitus II: Surgical management of conditions associated with tinnitus and somatosounds. *Journal of Otolaryngology*, 19, 6–10.
- Hazell, J. W. P. (1995). Models of tinnitus: Generation, perception, clinical implications. In J. A. Vernon & A. R. Möller (Eds.), *Mechanisms of tinnitus* (pp. 57–72). Boston, MA: Allyn & Bacon.
- Hazell, J. W. P. (1999). The TRT method in practice. In J. Hazell (Ed.), *Proceedings of the Sixth International Tinnitus Seminar 1999* (pp. 92–98). London, England: The Tinnitus and Hyperacusis Centre.
- Heller, A. J. (2003). Classification and epidemiology of tinnitus. *Otolaryngologic Clinics of North America*, 36(2), 239–248.
- Henry, J. A. (2004). Audiologic assessment. In J. B. Snow (Ed.), *Tinnitus: Theory and management* (pp. 220–236). Lewiston, NY: BC Decker.
- Henry, J. A., Dennis, K., & Schechter, M. A. (2005). General review of tinnitus: Prevalence, mechanisms, effects, and management. *Journal of Speech, Language, and Hearing Research*, 48(5), 1204–1234.
- Henry, J. A., Loovis, C., Montero, M., Kaelin, C., Anselmi, K. A., Coombs, R., . . . James, K. E. (2007). Randomized clinical trial: Group counseling based on tinnitus retraining therapy. *Journal of Rehabilitation Research and Development*, 44(1), 21–32.
- Henry, J. A., & Meikle, M. B. (1999). Pulsed versus continuous tones for evaluating the loudness of tinnitus. *Journal of the American Academy of Audiology*, 10, 261–272.
- Henry, J. A., Rheinsburg, B., & Zaugg, T. (2004). Comparison of custom sounds for achieving tinnitus relief. *Journal of the American Academy of Audiology*, 15, 585–598.
- Henry, J. A., Schechter, M. A., Nagler, S. M., & Fausti, S. A. (2002). Comparison of tinnitus masking and

- tinnitus retraining therapy. *Journal of the American Academy of Audiology*, 13, 559–581.
- Henry, J. A., Schechter, M. A., Zaugg, T. L., Griest, S. E., Jastreboff, P. J., Vernon, J. A., . . . Stewart, B. J. (2006a). Clinical trial to compare tinnitus masking and tinnitus retraining therapy. *Acta Otolaryngology Supplementum*, 126, 64–69.
- Henry, J. A., Schechter, M. A., Zaugg, T. L., Griest, S. E., Jastreboff, P. J., Vernon, J. A., . . . Stewart, B. J. (2006b). Outcomes of clinical trial: Tinnitus masking versus tinnitus retraining therapy. *Journal of the American Academy of Audiology*, 17, 104–132.
- Henry, J. A., Trune, D. R., Robb, M. J. A., & Jastreboff, P. J. (2007a). *Tinnitus retraining therapy: Clinical guidelines*. San Diego, CA: Plural Publishing.
- Henry, J. A., Trune, D. R., Robb, M. J. A., & Jastreboff, P. J. (2007b). *Tinnitus retraining therapy: Patient counseling guide*. San Diego, CA: Plural Publishing.
- Henry, J. A., Zaugg, T. L., Myers, P. J., & Kendall, C. J. (2009). *How to manage your tinnitus: A step-by-step workbook* (2 ed.). Portland, OR: VA National Center for Rehabilitative Auditory Research.
- Henry, J. A., Zaugg, T. L., Myers, P. J., Kendall, C. J., & Turbin, M. B. (2009). Principles and application of counseling used in progressive audiologic tinnitus management. *Noise and Health*, 11(42), 33–48.
- Henry, J. A., Zaugg, T. L., Myers, P. J., & Schechter, M. A. (2008a). Progressive audiologic tinnitus management. *Asha Leader*, 13(8), 14–17.
- Henry, J. A., Zaugg, T. L., Myers, P. J., & Schechter, M. A. (2008b). The role of audiologic evaluation in progressive audiologic tinnitus management. *Trends in Amplification*, 12(3), 169–184.
- Henry, J. A., Zaugg, T. L., Myers, P. J., & Schechter, M. A. (2008c). Using therapeutic sound with progressive audiologic tinnitus management. *Trends in Amplification*, 12(3), 185–206.
- Henry, J. A., Zaugg, T. L., Myers, P. M., & Kendall, C. J. (2010a). *How to manage your tinnitus: A step-by-step workbook* (3 ed.). San Diego, CA: Plural Publishing.
- Henry, J. A., Zaugg, T. L., Myers, P. M., & Kendall, C. J. (2010b). *Progressive tinnitus management: Counseling guide*. San Diego, CA: Plural Publishing.
- Henry, J. A., Zaugg, T. L., & Schechter, M. A. (2005a). Clinical guide for audiologic tinnitus management I: Assessment. *American Journal of Audiology*, 14, 21–48.
- Henry, J. A., Zaugg, T. L., & Schechter, M. A. (2005b). Clinical guide for audiologic tinnitus management II: Treatment. *American Journal of Audiology*, 14, 49–70.
- Henry, J. L., & Wilson, P. H. (1996). The psychological management of tinnitus: Comparison of a combined cognitive educational program, education alone and a waiting-list control. *International Tinnitus Journal*, 2, 9–20.
- Henry, J. L., & Wilson, P. H. (1998). Psychological treatments for tinnitus. In J. A. Vernon (Ed.), *Tinnitus treatment and relief* (pp. 99–115). Boston, MA: Allyn & Bacon.
- Henry, J. L., & Wilson, P. H. (2001). *The psychological management of chronic tinnitus*. Boston, MA: Allyn & Bacon.
- Henry, J. L., & Wilson, P. H. (2002). *Tinnitus: A self-management guide for the ringing in your ears*. Boston, MA: Allyn & Bacon.
- Herraiz, C., Hernandez, F. J., Plaza, G., & de los Santos, G. (2005). Long-term clinical trial of tinnitus retraining therapy. *Otolaryngology, Head and Neck Surgery*, 133(5), 774–779.
- Herraiz, C., Hernandez, F. J., Toledano, A., & Aparicio, J. M. (2007). Tinnitus retraining therapy: Prognosis factors. *American Journal of Otolaryngology*, 28(4), 225–229.
- Hochberg, I., & Waltzman, S. (1972). Comparison of pulsed and continuous tone thresholds in patients with tinnitus. *Audiology*, 11, 337–342.
- Hoffman, B. M., Papas, R. K., Chatkoff, D. K., & Kerns, R. D. (2007). Meta-analysis of psychological interventions for chronic low back pain. *Health Psychology*, 26(1), 1–9.
- Hoffman, H. J., & Reed, G. W. (2004). Epidemiology of tinnitus. In J. B. Snow (Ed.), *Tinnitus: Theory and management* (pp. 16–41). Lewiston, NY: BC Decker.
- Hofmann, S. G., & Smits, J. A. (2008). Cognitive-behavioral therapy for adult anxiety disorders: a meta-analysis of randomized placebo-controlled trials. *Journal of Clinical Psychiatry*, 69(4), 621–632.
- House, J. W., & Brackmann, D. E. (1981). Tinnitus: Surgical management. In Evered & Lawrenson (Eds.), *Tinnitus (Ciba Foundation Symposium 85)* (pp. 204–216). London, England: Pitman.
- Howard, D. H., Gazmararian, J., & Parker, R. M. (2005). The impact of low health literacy on the medical costs of Medicare managed care enrollees. *American Journal of Medicine*, 118(4), 371–377.
- Hugdahl, K., Loberg, E. M., Jorgensen, H. A., Lundervold, A., Lund, A., Green, M. F., & Rund, B. (2008). Left hemisphere lateralisation of auditory hallucinations in schizophrenia: A dichotic listening study. *Cognition Neuropsychiatry*, 13(2), 166–179.
- Humes, L. E., Joellenbeck, L. M., & Dutsch, J. S. (Eds.). (2006). *Noise and military service: Implications for hearing*.

- ing loss and tinnitus*. Washington, DC: The National Academies Press.
- Jakes, S. C., Hallam, R. S., Chambers, C., & Hinchcliffe, R. (1985). A factor analytical study of tinnitus complaint behaviour. *Audiology*, 24, 195–206.
- Jastreboff, M. M., & Jastreboff, P. J. (2002). Decreased sound tolerance and Tinnitus retraining therapy (TRT). *Australian and New Zealand Journal of Audiology*, 24, 74–81.
- Jastreboff, P. J. (1990). Phantom auditory perception (tinnitus): Mechanisms of generation and perception. *Neuroscience Research*, 8, 221–254.
- Jastreboff, P. J. (1995). Tinnitus as a phantom perception: Theories and clinical implications. In J. A. Vernon & A. R. Moller (Eds.), *Mechanisms of tinnitus* (pp. 73–93). Boston, MA: Allyn & Bacon.
- Jastreboff, P. J. (2000). Tinnitus habituation therapy (THT) and tinnitus retraining therapy (TRT). In R. S. Tyler (Ed.), *Tinnitus handbook* (pp. 357–376). San Diego, CA: Singular Publishing Group.
- Jastreboff, P. J. (2004). The neurophysiological model of tinnitus. In J. B. Snow (Ed.), *Tinnitus: Theory and management* (pp. 96–107). Lewiston, NY: BC Decker.
- Jastreboff, P. J., & Hazell, J. W. P. (1998). Treatment of tinnitus based on a neurophysiological model. In J. A. Vernon (Ed.), *Tinnitus treatment and relief* (pp. 201–217). Boston, MA: Allyn & Bacon.
- Jastreboff, P. J., & Hazell, J. W. P. (2004). *Tinnitus retraining therapy: Implementing the neurophysiological model*. New York, NY: Cambridge University Press.
- Jastreboff, P. J., & Jastreboff, M. M. (2000). Tinnitus retraining therapy (TRT) as a method for treatment of tinnitus and hyperacusis patients. *Journal of the American Academy of Audiology*, 11, 162–177.
- Jastreboff, P. J., & Jastreboff, M. M. (2004). Decreased sound tolerance. In J. B. Snow (Ed.), *Tinnitus: Theory and management* (pp. 8–15). Lewiston, NY: BC Decker.
- Jeyakumar, A., Francis, D., & Doerr, T. (2006). Treatment of idiopathic sudden sensorineural hearing loss. *Acta Otolaryngologica*, 126(7), 708–713.
- Johns, M. W. (1991). A new method for measuring daytime sleepiness: The Epworth sleepiness scale. *Sleep*, 14(6), 540–545.
- Johnson, M. H. (2005). How does distraction work in the management of pain? *Current Pain and Headaches Report*, 9(2), 90–95.
- Johnson, R. M. (1998). The masking of tinnitus. In J. A. Vernon (Ed.), *Tinnitus treatment and relief* (pp. 164–186). Boston, MA: Allyn & Bacon.
- Kaltenbach, J. A. (2000). Neurophysiologic mechanisms of tinnitus. *Journal of the American Academy of Audiology*, 11(3), 125–137.
- Kaltenbach, J. A., & Afman, C. E. (2000). Hyperactivity in the dorsal cochlear nucleus after intense sound exposure and its resemblance to tone-evoked activity: A physiological model for tinnitus. *Hearing Research*, 140(1–2), 165–172.
- Kaltenbach, J. A., Rachel, J. D., Mathog, T. A., Zhang, J., Falzarano, P. R., & Lewandowski, M. (2002). Cisplatin-induced hyperactivity in the dorsal cochlear nucleus and its relation to outer hair cell loss: Relevance to tinnitus. *Journal of Neurophysiology*, 88(2), 699–714.
- Kaltenbach, J. A., Zhang, J., & Zacharek, M. A. (2004). Neural correlates of tinnitus. In J. B. Snow (Ed.), *Tinnitus: Theory and management* (pp. 141–161). Lewiston, NY: BC Decker.
- Kessels, R. P. (2003). Patients' memory for medical information. *Journal of the Royal Society of Medicine*, 96(5), 219–222.
- Kessler, R. C., Borges, G., & Walters, E. E. (1999). Prevalence of and risk factors for lifetime suicide attempts in the National Comorbidity Survey. *Archives of General Psychiatry*, 56(7), 617–626.
- Kiang, N. Y. S., Moxon, E. C., & Levine, R. A. (1970). Auditory-nerve activity in cats with normal and abnormal cochleas. In G. E. W. Wolstenholme & J. Knight (Eds.), *Sensorineural hearing loss* (pp. 241–273). London, England: J. & A. Churchill.
- Kirsch, C. A., Blanchard, E. B., & Parnes, S. M. (1989). Psychological characteristics of individuals high and low in their ability to cope with tinnitus. *Psychosomatic Medicine*, 51, 209–217.
- Kraemer, D. J., Macrae, C. N., Green, A. E., & Kelley, W. M. (2005). Musical imagery: Sound of silence activates auditory cortex. *Nature*, 434(7030), 158.
- Kroner-Herwig, B., Frenzel, A., Fritzsche, G., Schilkowsky, G., & Esser, G. (2003). The management of chronic tinnitus: Comparison of an outpatient cognitive-behavioral group training to minimal-contact interventions. *Journal of Psychosomatic Research*, 54(4), 381–389.
- Levine, R. A. (2004). Somatic tinnitus. In J. B. Snow (Ed.), *Tinnitus: Theory and management* (pp. 108–124). Lewiston, NY: BC Decker.
- Lichtenstein, M. J., Bess, F. H., Logan, S. A., & Burger, M. C. (1990). Deriving criteria for hearing impairment in the elderly: A functional approach. *Journal of the American Academy of Audiology*, 1(1), 11–22.
- Lockwood, A. H., Burkard, R. F., & Salvi, R. J. (2004). Imaging tinnitus. In J. B. Snow (Ed.), *Tinnitus: The-*

- ory and management (pp. 253–264). Lewiston, NY: BC Decker.
- Margolis, R. H. (2004). Audiology information counseling—What do patients remember? *Audiology Today*, 16(2), 14–15.
- Martinez Devesa, P., Waddell, A., Perera, R., & Theodoulou, M. (Eds.). (2007). *Cognitive behavioural therapy for tinnitus (Review)*. Cochrane Database of Systematic Reviews 2007, Issue 1.
- Mayeaux, E. J., Jr., Murphy, P. W., Arnold, C., Davis, T. C., Jackson, R. H., & Sentell, T. (1996). Improving patient education for patients with low literacy skills. *American Family Physician*, 53(1), 205–211.
- Meikle, M., & Walsh, E. T. (1984). Characteristics of tinnitus and related observations in over 1800 tinnitus patients. In *Proceedings of the Second International Tinnitus Seminar, New York 1983. The Journal of Laryngology and Otology, Suppl. 9* (pp. 17–21). Ashford, Kent: Invicta Press.
- Meikle, M. B. (1995). The interaction of central and peripheral mechanisms in tinnitus. In J. A. Vernon & A. R. Møller (Eds.), *Mechanisms of tinnitus* (pp. 181–206). Boston, MA: Allyn & Bacon.
- Meikle, M. B., Creedon, T. A., & Griest, S. E. (2004). *Tinnitus archive, 2nd ed.* Retrieved February 15, 2010, from <http://www.tinnitusarchive.org/>
- Meikle, M. B., Vernon, J., & Johnson, R. M. (1984). The perceived severity of tinnitus. *Otolaryngology-Head and Neck Surgery*, 92(6), 689–696.
- Mensing, C. R., & Norris, S. L. (2003). Group education in diabetes: Effectiveness and implementation. *Diabetes Spectrum*, 16(2), 96–103.
- Merchant, S. N., Adams, J. C., & Nadol, J. B., Jr. (2005). Pathology and pathophysiology of idiopathic sudden sensorineural hearing loss. *Otology and Neurotology*, 26(2), 151–160.
- Mineau, S. M., & Schlauch, R. S. (1997). Threshold measurement for patients with tinnitus: Pulsed or continuous tones. *American Journal of Audiology*, 6, 52–56.
- Moffat, D. A., & Hardy, D. G. (1989). Surgical management of large glomus jugulare tumours: Infra- and trans-temporal approach. *Journal of Laryngology and Otology*, 103(12), 1167–1180.
- Møller, A. R. (1984). Pathophysiology of tinnitus. *Annals of Otology, Rhinology, and Laryngology*, 93, 39–44.
- Møller, A. R. (1987). Similarities between chronic pain and tinnitus. *American Journal of Otology*, 18, 577–585.
- Møller, A. R. (1995). Pathophysiology of tinnitus. In J. A. Vernon & A. R. Møller (Eds.), *Mechanisms of tinnitus* (pp. 207–217). Needham Heights, MA: Allyn & Bacon.
- Møller, A. R. (2000). Similarities between severe tinnitus and chronic pain. *Journal of the American Academy of Audiology*, 11, 115–124.
- Møller, A. R. (2003). Pathophysiology of tinnitus. *Otolaryngologic Clinics of North America*, 36(2), 249–266, v–vi.
- Newman, C. W., Jacobson, G. P., & Spitzer, J. B. (1996). Development of the tinnitus handicap inventory. *Archives of Otolaryngology-Head and Neck Surgery*, 122, 143–148.
- Newman, C. W., & Sandridge, S. A. (2004). Tinnitus questionnaires. In J. B. Snow (Ed.), *Tinnitus: Theory and management* (pp. 237–254). Lewiston, NY: BC Decker.
- Newman, C. W., & Sandridge, S. A. (2005). Incorporating group and individual sessions into a tinnitus management clinic. In R. S. Tyler (Ed.), *Tinnitus treatment: Clinical protocols* (pp. 187–197). New York, NY: Thieme.
- Newman, C. W., Sandridge, S. A., & Bolek, L. (2008). Development and psychometric adequacy of the screening version of the tinnitus handicap inventory. *Otology and Neurotology*, 29(3), 276–281.
- Newman, C. W., Sandridge, S. A., & Jacobson, G. P. (1998). Psychometric adequacy of the Tinnitus Handicap Inventory (THI) for evaluating treatment outcome. *Journal of the American Academy of Audiology*, 9, 153–160.
- Newman, C. W., Weinstein, B. E., Jacobson, G. P., & Hug, G. A. (1990). The hearing handicap inventory for adults: Psychometric adequacy and audiometric correlates. *Ear and Hearing*, 11, 430–433.
- Newman, S., Mulligan, K., & Steed, L. (2001). What is meant by self-management and how can its efficacy be established? *Rheumatology (Oxford)*, 40(1), 1–4.
- Nicolson, S. E., Mayberg, H. S., Pennell, P. B., & Nemeroff, C. B. (2006). Persistent auditory hallucinations that are unresponsive to antipsychotic drugs. *American Journal of Psychiatry*, 163(7), 1153–1159.
- Nielsen-Bohlman, L., Panzer, A. M., & Kindig, D. A. (Eds.). (2004). *Health literacy: A prescription to end confusion*. Washington, DC: Institute of Medicine of the National Academies.
- Nuttall, A. L., Meikle, M. B., & Trune, D. R. (2004). Peripheral processes involved in tinnitus. In J. B. Snow (Ed.), *Tinnitus: Theory and management* (pp. 52–68). Lewiston, NY: BC Decker.
- Patuzzi, R. (2002). Outer hair cells, EP regulation and tinnitus. In R. Patuzzi (Ed.), *Seventh Interna-*

- tional Tinnitus Seminar Proceedings.* Perth, Australia: Physiology Department, University of Western Australia.
- Penner, M. J., & Bilger, R. C. (1995). Psychophysical observations and the origin of tinnitus. In J. A. Vernon & A. R. Moller (Eds.), *Mechanisms of tinnitus* (pp. 219–230). Needham Heights, MA: Allyn & Bacon.
- Perry, B. P., & Gantz, B. J. (2000). Medical and surgical evaluation and management of tinnitus. In R. S. Tyler (Ed.), *Tinnitus handbook* (pp. 221–241). San Diego, CA: Singular Publishing Group.
- Prins, A., Ouimette, P., Kimerling, R., Cameron, R. P., Hugelshofer, D. S., Shaw-Hegwer, J., . . . Sheikh, J. I. (2004). The primary care PTSD screen (PC-PTSD): Development and operating characteristics. *Primary Care Psychiatry*, 9, 9–14.
- Puel, J. L., & Guitton, M. J. (2007). Salicylate-induced tinnitus: Molecular mechanisms and modulation by anxiety. *Progressive Brain Research*, 166, 141–146.
- Pulec, J. L. (1984). Tinnitus: Surgical therapy. *American Journal of Otology*, 5, 479–480.
- Rachel, J. D., Kaltenbach, J. A., & Janisse, J. (2002). Increases in spontaneous neural activity in the hamster dorsal cochlear nucleus following cisplatin treatment: A possible basis for cisplatin-induced tinnitus. *Hearing Research*, 164(1–2), 206–214.
- Robinson, S. K., Viirre, E. S., & Stein, M. B. (2004). Antidepressant therapy for tinnitus. In J. B. Snow (Ed.), *Tinnitus: Theory and management* (pp. 278–293). Lewiston, NY: BC Decker.
- Rollnick, S., Mason, P., & Butler, C. (1999). *Health behavior change: A guide for practitioners*. Philadelphia, PA: Elsevier.
- Sacks, O. (2008). *Musicophilia: Tales of music and the brain*. New York, NY: Random House.
- Salvi, R. J., Lockwood, A. H., & Burkard, R. (2000). Neural plasticity and tinnitus. In R. Tyler (Ed.), *Tinnitus handbook* (pp. 123–148). San Diego, CA: Singular Publishing Group.
- Saltzman, M., & Ersner, M. S. (1947). A hearing aid for relief of tinnitus aurium. *Laryngoscope*, 57, 358–366.
- Sandridge, S. A., & Newman, C. W. (2005). Benefits of group informational counseling. In R. Dauman (Ed.), *VIIIth International Tinnitus Seminar* (p. 106). Bordeaux, France: ENT Dept., University Hospital of Bordeaux.
- Schechter, M. A., & Henry, J. A. (2002). Assessment and treatment of tinnitus patients using a "masking approach." *Journal of the American Academy of Audiology*, 13, 545–558.
- Schleuning, A. J., Johnson, R. M., & Vernon, J. A. (1980). Evaluation of a tinnitus masking program: a follow-up study of 598 patients. *Ear and Hearing*, 1, 71–74.
- Schonauer, K., Achtergarde, D., Gotthardt, U., & Folkerets, H. W. (1998). Hallucinatory modalities in prelingually deaf schizophrenic patients: A retrospective analysis of 67 cases. *Acta Psychiatrica Scandinavica*, 98(5), 377–383.
- Schuknecht, H. F. (1993). *Pathology of the ear*. Boston, MA: Lea & Febiger.
- Schwaber, M. K. (2003). Medical evaluation of tinnitus. *Otolaryngologic Clinics of North America*, 36(2), 287–292, vi.
- Scott, B., Lindberg, P., Melin, L., & Lytkens, L. (1990). Predictors of tinnitus discomfort, adaptation and subjective loudness. *British Journal of Audiology*, 24, 51–62.
- Seal, M. L., Aleman, A., & McGuire, P. K. (2004). Compelling imagery, unanticipated speech and deceptive memory: Neurocognitive models of auditory verbal hallucinations in schizophrenia. *Cognitive Neuropsychiatry*, 9(1–2), 43–72.
- Searchfield, G. D. (2005). Hearing aids and tinnitus. In R. S. Tyler (Ed.), *Tinnitus treatment: Clinical protocols* (pp. 161–175). New York, NY: Thieme.
- Shapiro, D. E., Boggs, S. R., Melamed, B. G., & Graham-Pole, J. (1992). The effect of varied physician affect on recall, anxiety, and perceptions in women at risk for breast cancer: An analogue study. *Health Psychology*, 11(1), 61–66.
- Sindhusake, D., Golding, M., Newall, P., Rubin, G., Jakobsen, K., & Mitchell, P. (2003). Risk factors for tinnitus in a population of older adults: The blue mountains hearing study. *Ear and Hearing*, 24(6), 501–507.
- Sindhusake, D., Mitchell, P., Newall, P., Golding, M., Rochtchina, E., & Rubin, G. (2003). Prevalence and characteristics of tinnitus in older adults: The Blue Mountains Hearing Study. *International Journal of Audiology*, 42(5), 289–294.
- Sismanis, A. (1998). Pulsatile tinnitus. In J. A. Vernon (Ed.), *Tinnitus treatment and relief* (pp. 28–33). Boston, MA: Allyn & Bacon.
- Sismanis, A. (2003). Pulsatile tinnitus. *Otolaryngologic Clinics of North America*, 36(2), 389–402, viii.
- Sismanis, A. (2007). Evaluation and management of pulsatile tinnitus. In G. B. Hughes & M. L. Pensak (Eds.), *Clinical Otology*. New York, NY: Thieme.
- Sommer, I. E., Daalman, K., Rietkerk, T., Diederen, K. M., Bakker, S., Wijkstra, J., & Boks, M. P. (2008). Healthy individuals with auditory verbal hallu-

- cinations; who are they? Psychiatric assessments of a selected sample of 103 subjects. *Schizophrenia Bulletin*.
- Stephens, S., & Corcoran, A. (1985). A controlled study of tinnitus masking. *British Journal of Audiology*, 19, 159–167.
- Stetler, C. B., Legro, M. W., Wallace, C. M., Bowman, C., Guihan, M., Hagedorn, H., . . . Smith, J. L. (2006). The role of formative evaluation in implementation research and the QUERI experience. *Journal of General Internal Medicine*, 21(Suppl. 2), S1–S8.
- Stewart, M., Brown, J. B., Donner, A., McWhinney, I. R., Oates, J., Weston, W. W., Jordan, J. (2000). The impact of patient-centered care on outcomes. *Journal of Family Practice*, 49, 796–804.
- Surr, R. K., Kolb, J. A., Cord, M. T., & Garrus, N. P. (1999). Tinnitus handicap inventory (THI) as a hearing aid outcome measure. *Journal of the American Academy of Audiology*, 10(9), 489–495.
- Surr, R. K., Montgomery, A. A., & Mueller, H. G. (1985). Effect of amplification on tinnitus among new hearing aid users. *Ear and Hearing*, 6(2), 71–75.
- Sweetow, R. W. (1996). Tinnitus. In J. L. Northern (Ed.), *Hearing disorders* (pp. 299–308). Boston, MA: Allyn & Bacon.
- Sweetow, R. W. (2000). Cognitive-behavior modification. In R. S. Tyler (Ed.), *Tinnitus handbook* (pp. 297–311). San Diego, CA: Singular Publishing Group.
- Trotter, M. I., & Donaldson, I. (2008). Hearing aids and tinnitus therapy: A 25-year experience. *Journal of Laryngology and Otology*, 1–5.
- Trune, D. R. (2004). Ion homeostasis and inner ear disease. In M. Hamid & A. Sismanis (Eds.), *Medical otology and neurotology*. New York, NY: Thieme.
- Tyler, R. S. (2006). Neurophysiological models, psychological models, and treatments for tinnitus. In R. S. Tyler (Ed.), *Tinnitus treatment: Clinical protocols* (pp. 1–22). San Diego, CA: Thieme.
- Tyler, R. S., & Baker, L. J. (1983). Difficulties experienced by tinnitus sufferers. *Journal of Speech and Hearing Disorders*, 48, 150–154.
- Ventry, I. M., & Weinstein, B. E. (1982). The Hearing Handicap Inventory for the Elderly: A new tool. *Ear and Hearing*, 3, 128–134.
- Ventry, I. M., & Weinstein, B. E. (1983). Identification of elderly people with hearing problems. *Asha*, 25(7), 37–42.
- Vernon, J. (1976). The use of masking for relief of tinnitus. In H. Silverstein & H. Norrell (Eds.), *Neurological Surgery of the Ear: Volume II* (pp. 104–118). Birmingham, AL: Aesculapius Publishing.
- Vernon, J. (1977). Attempts to relieve tinnitus. *Journal of the American Audiology Society*, 2, 124–131.
- Vernon, J., & Schleuning, A. (1978). Tinnitus: A new management. *Laryngoscope*, 88, 413–419.
- Vernon, J. A. (1976). The loudness (?) of tinnitus. *Hearing and Speech Action*, 44, 17–19.
- Vernon, J. A. (1996). Is the claimed tinnitus real and is the claimed cause correct? In G. E. Reich & J. A. Vernon (Eds.), *Proceedings of the Fifth International Tinnitus Seminar, 1995* (pp. 395–396). Portland, OR: American Tinnitus Association.
- Vernon, J. A. (1998). *Tinnitus treatment and relief*. Boston, MA: Allyn & Bacon.
- Vernon, J. A. (2002). Hyperacusis: Testing, treatments and a possible mechanism. *Australian and New Zealand Journal of Audiology*, 24, 68–73.
- Vernon, J. A., & Møller, A. R. (1995). *Mechanisms of tinnitus*. Boston, MA: Allyn & Bacon.
- Vernon, J. A., & Press, L. (1998). Treatment for hyperacusis. In J. A. Vernon (Ed.), *Tinnitus treatment and relief* (pp. 223–227). Boston, MA: Allyn & Bacon.
- Wackym, P. A., & Friedland, D. R. (2004). Otologic evaluation. In J. B. Snow (Ed.), *Tinnitus: Theory and management* (pp. 205–219). Lewiston, NY: B.C. Decker.
- Weiss, B. D., Hart, G., McGee, D. L., & D'Estelle, S. (1992). Health status of illiterate adults: Relation between literacy and health status among persons with low literacy skills. *Journal of the American Board of Family Practice*, 5(3), 257–264.
- Weiss, B. D., & Palmer, R. (2004). Relationship between health care costs and very low literacy skills in a medically needy and indigent Medicaid population. *Journal of the American Board of Family Practice*, 17(1), 44–47.
- Wengel, S. P., Burke, W. J., & Holemon, D. (1989). Musical hallucinations. The sounds of silence? *Journal of the American Geriatric Society*, 37(2), 163–166.
- Wilkinson, M. J., & Barczak, P. (1988). Psychiatric screening in general practice: Comparison of the general health questionnaire and the hospital anxiety depression scale. *Journal of the Royal College of General Practitioners*, 38(312), 311–313.
- Williams, M. V., Davis, T., Parker, R. M., & Weiss, B. D. (2002). The role of health literacy in patient-physician communication. *Family Medicine*, 34(5), 383–389.
- Williams, M. V., Parker, R. M., Baker, D. W., Parikh, N. S., Pitkin, K., Coates, W. C., & Nurss, J. R. (1995). Inadequate functional health literacy among patients at two public hospitals. *Journal of the American Medical Association*, 274(21), 1677–1682.

- Wilson, P. H., Henry, J. L., & Nicholas, M. (1993). Cognitive methods in the management of chronic pain and tinnitus. *Australian Psychologist*, 28, 172–180.
- Wilson, S. R. (1997). Individual versus group education: Is one better? *Patient Education and Counseling*, 32(Suppl. 1), S67–75.
- Yantis, P. A. (1994). Puretone air-conduction threshold testing. In J. Katz (Ed.), *Handbook of Clinical Audiology* (pp. 97–108). Baltimore, MD: Williams & Wilkins.
- Zacharek, M. A., Kaltenbach, J. A., Mathog, T. A., & Zhang, J. (2002). Effects of cochlear ablation on noise induced hyperactivity in the hamster dorsal cochlear nucleus: implications for the origin of noise induced tinnitus. *Hearing Research*, 172(1–2), 137–143.
- Zaugg, T. L., Schechter, M. A., Fausti, S. A., & Henry, J. A. (2002). Difficulties caused by patients' misconceptions that hearing problems are due to tinnitus. In R. Patuzzi (Ed.), *Proceedings of the Seventh International Tinnitus Seminar* (pp. 226–228). Crawley, Australia: University of Western Australia.
- Zigmond, A. S., & Snaith, R. P. (1983). The hospital anxiety and depression scale. *Acta Psychiatrica Scandinavica*, 67(6), 361–370.

